

FLOOR!T[®]

THE WOODEN FLOOR



LOOK BOOK
Collection Overview



Picture shows: **Oak Cabo**

Natural grading, oxi oiled

FLOOR!T[®]

THE WOODEN FLOOR

Wide Plank Flooring

Strip Flooring (Ship Deck Flooring)

Herringbone

2-Layer-Parquet

What we stand for?

naturally sustainable

The topic of sustainability is becoming increasingly important because the resources of our world are limited, and we need to make greater efforts to find new sustainable solutions where people, the environment, and economic development play equally important roles.

We at Barth & Co., as a socially responsible company, also contribute to a livable world.

Our plants are certified according to the environmental standard ISO 14001 and the quality management standard ISO 9001.

We strive for the best possible products and services. Additionally, we ensure continuous improvement of our products, taking into account the world we live in.


Our engineered hardwood floors meet all requirements to ensure continuous human well-being while also not burdening the environment.

Thanks to the multi-layer construction, the wood is used optimally, ensuring efficient use of resources. All our parquet floors have emission levels significantly below the valid EU standards and norms.

Furthermore, all our products are designed to be easily cleaned and maintained with gentle methods.

At the end of their useful life, our wooden floors can be easily composted, thereby re-entering the natural biological cycle.

Economical – Ecological – Reliable, these are our values for sensible and sustainable business practices. Today, tomorrow, and of course, in the future.





Our arguments!

all-round carefree

Quality Products

All our products are manufactured according to strict quality criteria. We conduct regular inspections at German testing institutes ourselves, ensuring that our partners can also rely on consistent quality.

Assortment

We offer an extensive portfolio of genuine wood flooring. To highlight the trading concept, our goods are neutrally packaged, providing our specialist trade partners with countless options for marketing the products.

Sales Policy

We see ourselves as specialist trade partners and therefore market our products exclusively through the wood trade, flooring trade, and building materials trade. We do not supply DIY stores and do not have our own project department.

Service

Our employees possess a very high level of expertise and always work solution-oriented. In addition to procurement, product development, quality assurance, and sales, our core competencies include financing, logistics, and import processing.

Network

We see ourselves as part of a global network and have long-standing intercontinental connections. Our partners benefit from our international contacts and years of business experience, especially overseas.

Innovation

Our team constantly develops new and innovative techniques to better express the timeless beauty of wood.

Short and clear

Icon legend



2-SIDED
BEVELLED EDGES

Bevelled edge on the long sides of the planks.



4-SIDED
BEVELLED EDGES

Bevelled edge on all sides of the planks.



BRUSHED

By brushing the surface, the grain of the wood is highlighted, making the structure of the individual planks appear particularly authentic.



OXIDATIVE OILED

All our planks are oxidatively oiled at the factory (air-dried). We recommend initial maintenance in the property to ensure that the surface is adequately protected against frequent foot traffic.



OILED
READY-FOR-USE

These floors do not require initial maintenance and can be walked on immediately after installation. However, we always recommend additional care to ensure ideal surface protection.



HARDWAX OILED
READY-FOR-USE

Hardwax oil is a combination of oil and wax and makes your floors more hardwearing.



MATTE
LACQUERED

The surface of our matt lacquered floors is fully sealed. The lacquer forms an additional protective layer and closes the pores of the wood.



HAND-PLANED

The hand-planed surface creates a special look. This makes each plank unique and reflects the character of an old plank floor.




SAWN VENEER

We only use sawn veneer wood in the manufacture of all our products.



SMOKED

The colour of the oak is changed in a special process. The length of time the wood is smoked is decisive for the colour change.



LF
LOOPY-FACE®
TECHNOLOGY

The **Loopy-Face®** technology involves a deeply textured surface. This is produced on a specially designed machine. The surface is embossed with disc machines in circular motions and then polished. This gives the surface a visual 3-D effect while also making it feel soft and smooth. The material is air-dried and ready-oiled for living spaces, so it can be walked on immediately after installation.



ST
SAFETOP®
TECHNOLOGY

SafeTop® Technology represents the highest standards in surface finishing. It is the perfect coating for those desiring a genuine raw wood look. The oxidatively oiled surface is extremely matte, resulting in a natural appearance without any enhancement. The floor is ready-oiled for living spaces and can be walked on immediately after installation.

Our floors Table of contents

*Wide plank flooring
in lively grading*

*Classic wide plank
flooring*

*Classic wide plank
flooring*

COLLECTION ANTIQUE

14

COLLECTION CLASSIC

24

COLLECTION CLASSIC PLUS

32



Oak Teberius 16/17



Oak Apollo 16/17



Oak Sokrates 18/19



Oak Platon 18/19



Oak Lazarus 20/21



Oak Pompeius 20/21



Oak Kelsos 22/23



Oak Linhart 26/27



Oak Coletta 26/27



Oak Brida 28/29



Oak NEW Noblesse 30/31



Oak NEW Comfort 30/31



Oak Endres 34/35



Oak Auberlin 36/37



Oak Bentz 36/37



Larch Ennlin 38/39



Larch Ketlin 38/39



Am. Walnut Hawaii 40/41



Classic wide plank flooring XL

Wide plank flooring in short plank look

Modern wide plank flooring

COLLECTION CLASSIC XL

42

COLLECTION NEW LIFETIME

50

COLLECTION DREAM ISLAND

56



Oak Noblesse XL 44/45



Oak Comfort XL 44/45



Oak Fancy XL 46/47



Oak Smart XL 46/47



Oak Brida XL 48/49



Oak Barock 52/53



Oak Gotik 52/53



Oak Rokoko 54/55



Oak Romatik 54/55



Oak Bali 58/59



Oak Samui 58/59



Oak Boracay 60/61



Oak Sumatra 60/61



Oak Lanta 62/63



Maple Java 64/65



Our floors Table of contents

Rustic wide plank

Wide plank flooring in lively grading

Wide planks with depth structure

COLLECTION NEW TIMED

66



Oak Amber 68/69



Oak Jasper 68/69



Oak Jade 70/71




Oak Opal 70/71



COLLECTION ORIENTAL

72



Oak Asena 74/75



Oak Zola 74/75



Oak Kaya 76/77



Oak Junis 76/77



Oak Karat 78/79



Oak Limun 78/79



Oak Harika XL 80/81



Oak Salome XL 80/81



COLLECTION MARITIM XL

82



Oak Ocean XL 84/85



Oak Pacific XL 86/87



Oak Marina XL 88/89



Oak Nautic XL 88/89



Oak Breece XL 90/91



Oak Sail XL 90/91



Traditional wide plank flooring

Traditional XL wide plank flooring

XXL castle planks

COLLECTION TRADITIONAL 92



Oak Safari 94/95



Oak Arktis 94/95



Oak Colorado 96/97



Oak Nebraska 96/97



Oak Maine 98/99



Oak Como 100/101



Oak Prato 100/101



Oak Texas 102/103



COLLECTION TRADITIONAL XL 104



Oak Como XL 106/107



Oak Prato XL 106/107



Oak Emilia XL 108/109



Oak Matera XL 108/109



Oak Messina XL 110/111



COLLECTION ART XXL 112



Oak Louvre XXL 114/115



Oak Pergamon XXL 116/117



Oak Tate XXL 118/119



Oak Moma XXL 118/119



Our floors Table of contents

*Timeless herringbone
parquet*

*Classic wide plank
flooring*

Aged wide planks

COLLECTION CHÂTEAU

120



Oak Clagny 122/123



Oak Chambord 122/123



Oak Crussol 124/125



Oak Aguilar 126/127



Oak Apremont 126/127



Oak Anjony 128/129



COLLECTION GLORY

130



Oak Laruma 132/133



Oak Gaica 132/133



Oak Zephir 134/135



Oak Marinda 134/135



Oak Avoca 136/137



Oak Serala 136/137



Oak Cameo 138/139



Oak Madita 138/139



Oak Jumana 140/141




Oak Galwani 140/141



Oak Akoya 142/143



Oak Pincada 142/143



COLLECTION RETRO

144



Oak Sanford 146/147



Oak Augusta 146/147



Oak Cayley 148/149



Oak Nirvana 148/149



Oak Marcy 150/151




3-layer
parquet

2-layer
parquet

Care products to
maintain value

COLLECTION DESINGPARK 152



Oak Bryce 154/155



Oak Glacier 154/155



Oak Richmond 156/157



Oak Cabo 158/159



COLLECTION DESINGPARK 160



Oak Tajo 162/163



Oak Luke 164/165



Oak Zuma 166/167



Oak Sky 168/169



MAINTENANCE PRODUCTS 170



FAXE Natural wooden floor soap



FAXE Maintenance oil Safetop



FAXE Active care matt



FAXE Maintenance oil Plus Natur



FAXE Wood floor soap nature



FAXE Care Oil Plus White



FAXE White wood floor soap



COLLECTION
ANTIQUÉ

WIDE PLANK FLOORING
IN LIVELY GRADING



Oak Teberius



Oak Apollo




Oak Sokrates



Oak Platon



Oak Lazarus



Oak Pompeius



Oak Kelsos

Thanks to the lively assortment of country house planks in the **Collection Antique** creates a floor image full of character in every room. Each individual plank is characterised by its texture and play of colours as well as surface treatment and finishing.

The collection comprises a total of seven products in three different plank formats. All Surfacen planks are already oxidised/finished oiled. Thanks to the patented **drop-down connection**, the planks can be laid quickly, easily and cleanly.

Specification

Striking Oak wideplank 1-plank

Sorting

Accent: Very rustic sorting, with knots and cracks as well as a natural play of colours

Surface

Oil-coated with natural oxidative oil

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 m² K/W

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of oak approx. 3 or 4 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Antique (Maximum 25 % short length per parcel)		
14/3 x 190 x 1,900 mm	8 Piece	= 1 Package	= 2.888 m ²
	40 Packages	= 1 Pallet	= 115.52 m ²
	12 Pallets	= 20' Container	= 1,368.24 m ²
	24 Packages	= 40' Container	= 2,772.48 m ²
15/4 x 220 x 2,200 mm	6 Piece	= 1 Package	= 2.904 m ²
	44 Packages	= 1 Pallet	= 127.776 m ²
	12 Pallets	= 20' Container	= 1,533.31 m ²
	24 Pallets	= 40' Container	= 3,066.62 m ²
15/4 x 260 x 2,200 mm	6 Piece	= 1 Package	= 3.432 m ²
	33 Packages	= 1 Pallet	= 113.256 m ²
	12 Pallets	= 20' Container	= 1,359.072 m ²
	26 Pallets	= 40' Container	= 2,944.656 m ²

Color and dimensional variations possible, images are exemplary. Subject to change and errors excepted.

OAK TEBERIUS



brushed, natural oiled

10170

OAK APOLLO



brushed, white oiled

10171



SAWN VENEER




BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Accent, very rustic sorting, with knots and cracks as well as a natural play of colours



Picture shows: **Oak Teberius**

Accent sorting, natural oiled


OAK SOKRATES

OAK PLATON



brushed, natural oiled

10172



brushed, white oiled

10173



SAWN VENEER




BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 220 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Accent, very rustic sorting, with knots and cracks as well as a natural play of colours



Picture shows: **Oak Platon**

Accent sorting, white oiled

OAK LAZARUS

OAK POMPEIUS



brushed, natural oiled

10174

brushed, white oiled

10175



SAWN VENEER




BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Accent, very rustic sorting, with knots and cracks as well as a natural play of colours



Picture shows: **Oak Lazarus**

Accent sorting, natural oiled

OAK KELSOS



hand-planed, natural oiled

10176



SAWN VENEER




HAND-PLANED



OXIDATIVE OILED



4
4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Accent, very rustic sorting, with knots and cracks as well as a natural play of colours



Picture shows: **Oak Kelsos**

Accent sorting, natural oiled

COLLECTION
CLASSIC

CLASSIC WIDE
PLANK FLOORING



Oak Linhart




Oak Coletta



Oak Brida



Oak NEW Noblesse



Oak NEW Comfort

The **Classic Collection** combines beauty and goodness in every floor. Oak wood calm or rustic. Sorting is done by hand to select the right grains and structures as carefully as possible.

Thanks to the **drop-down click connection**, the planks are quick, clean and easy to install.

In addition to the different grades, the range from this collection also offers oxidatively oiled and specially treated surfaced finishes. So there is sure to be something to suit every personal taste.

Specification

Classic Oak wideplank 1-plank

Sorting

Nature: almost knot-free sorting, almost without sapwood

Rustic: knotty sorting, with sapwood

Surface

Oil-coated with natural oxidative oil.

Transparent oiled with SafeTo® technology

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 m² K/W

Thermal transmittance

0.12 m² K/W

3-layer parquet with 2 approx. 4-sided bevelled edge
Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak approx. 3 mm

Middle layer 9 approx. 10 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Classic (Maximum 25 % short length per parcel)		
14/3 x 190 x 1,900 mm	8 Piece	= 1 Package	= 2.888 m ²
	40 Packages	= 1 Pallet	= 115.520 m ²
	12 Pallets	= 20' Container	= 1,386.240 m ²
	24 Pallets	= 40' Container	= 2,772.480 m ²
15/3 x 189 x 1,900 mm	8 Piece	= 1 Package	= 2.8728 m ²
	40 Packages	= 1 Pallet	= 114.912 m ²
	12 Pallets	= 20' Container	= 1,378.944 m ²
	24 Pallets	= 40' Container	= 2,757.888 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK LINHART

OAK COLETTA



brushed, natural oiled

10136

brushed, white oiled

10143



SAWN VENEER




BRUSHED



OXIDATIVE OILED



2
2-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 189 x 1,900 mm x 15/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer


Sorting: Natural, nearly knot-free sorting, almost without sapwood



Picture shows: **Oak Linhart**

Nature sorting, natural oiled

OAK BRIDA



brushed, transparent oiled with SafeTop® technology

10142



Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer
Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Brida**

Rustic sorting, transparent oiled with
SafeTop® technology

OAK NEW NOBLESSE

OAK NEW COMFORT



brushed, natural oiled

10161

brushed, white oiled

10162



SAWN VENEER



BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer
Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **NEW Noblesse**

Rustic sorting, natural oiled

COLLECTION
CLASSIC PLUS


CLASSIC WIDE
PLANK FLOORING



Oak Endres




Oak Auberlin




Oak Bentz



Larch Ennlin



Larch Ketlin



Am. Walnut Hawaii

This standard is met by the product selection from the **Collection Classic PLUS**. The **PLUS** signifies a quality feature for the **4 mm thick wear layer**. Our oak wood of European origin is offered in a rustic grade and three surface colors.

In addition to elegant oak colors, the selection is complemented by harmonious larch wood. The range also includes naturally or white-oiled products.

Installation is quick, clean, and very easy thanks to the **patented drop-down click connection**.

Specification

Classic Oak wideplank 1-plank
Classic larch wideplank 1-plank
Classic walnut wideplank 1-plank

Sorting

Rustic: knotty sorting, with sapwood
Country: very knotty sorting, with low sapwood content
Royal: Mix-Sorting

Surface

Oil-coated with natural oxidative oil.

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.12 m² K/W

3-layer parquet with 2 approx. 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak, Walnut or Larch approx. 4 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Classic PLUS (Maximum 25 % short length per parcel)		
15/4 x 189 x 1,900 mm	8 Piece	= 1 Package	= 2.8728 m ²
	40 Packages	= 1 Pallet	= 114.912 m ²
	12 Pallets	= 20' Container	= 1,378.944 m ²
	24 Pallets	= 40' Container	= 2,757.888 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK ENDRES



brushed, natural oiled

10132



SAWN VENEER



BRUSHED




OXIDATIVE OILED



4
4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 189 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Country, very rustic sorting, with a low proportion of sapwood



Picture shows: **Oak Endres**

Country sorting, natural oiled

OAK AUBERLIN

OAK BENTZ



brushed, core-smoked, natural oiled

10130

brushed, core-smoked, white oiled

10135



SAWN VENEER



BRUSHED




SMOKED



OXIDATIVE OILED



2
2-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 189 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Auberlin**

Rustic sorting, core-smoked ,natural oiled

LARCH ENNLIN

LARCH KETLIN



heavy brushed, natural oiled

10133



heavy brushed, white oiled

10134



SAWN VENEER



HEAVY BRUSHED



OXIDATIVE OILED



2
2-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 189 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer


Sorting: Rustic, knotty Sorting



Picture shows: **Larch Ennlin**

Rustic sorting, heavy brushed, natural oiled

AM. WALNUT HAWAII



natural oiled

10516



SAWN VENEER



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 189 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Royal, Mix-Sorting



Picture shows **Am. Walnut Hawaii**

Royal sorting, natural oiled

COLLECTION
CLASSIC XL

CLASSIC WIDEPLANK FLOORING
IN XL FORMAT



Oak Noblesse XL



Oak Comfort XL



Oak Fancy XL



Oak Smart XL



Oak Brida XL

Parquet is warm, authentic, and unique, creating a wonderful living atmosphere. This standard is met by the product selection from the **Collection Classic XL**. The **XL** signifies a quality feature for the plank width of **260 mm**.

Our oak wood of European origin is offered in a rustic grade and three surface colors.

The collection includes five products with oiled surfaces, in smoked appearance as well as the innovative **SafeTop® raw wood look**. This special finishing for the highest standards preserves the wood's character while ensuring reliable protection of the planks.

Installation is quick, clean, and very easy thanks to the patented drop-down click connection.

Specification

Classic Oak wideplank 1-plank

Sorting

Rustic: knotty sorting, with sapwood

Surface

Oil-coated with natural oxidative oil
Transparent oiled with SafeTop® Technology

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevel edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak approx. 4 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Classic XL		
15/4 x 260 x 2,200 mm	6 Piece	= 1 Package	= 3.432 m ²
	33 Packages	= 1 Pallet	= 113.256 m ²
	12 Pallets	= 20' Container	= 1,359.072 m ²
	26 Pallets	= 40' Container	= 2,944.656 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK NOBLESSE XL

OAK COMFORT XL



brushed, natural oiled

10510



brushed, white oiled

10511



SAWN VENEER




BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Noblesse XL**

Rustic sorting, natural oiled

OAK FANCY XL

OAK SMART XL



brushed, smoked, natural oiled 10513



brushed, smoked, white oiled 10514



SAWN VENEER



BRUSHED



SMOKED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer
Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Smart XL**

Rustic sorting, smoked, white oiled

OAK BRIDA XL



brushed, transparent oiled with SafeTop® technology

10512



Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer
Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Brida XL**

Rustic sorting, transparent oiled
with SafeTop® technology

COLLECTION

NEW LIFETIME


WIDE PLANK FLOORING
IN SHORT PLANK LOOK



Oak Barock



Oak Gotik



Oak Rokoko



Oak Romantik

The **NEW Lifetime collection** offers beautiful wood looks in short plank format. There is a total of four colour variants in oak wood to choose from.

The brushed surfacing emphasises the extraordinary look and makes the floor surface appear even more authentic.

The four-sided bevelled edges make each element stand out particularly well.

The Surfacen is also treated with natural oil and is quick and easy to install thanks to the patented **drop-down click connection**.

Specification

Classic Oak wideplank 1-plank

Sorting

Rustic: knotty sorting, with sapwood

Surface

Oil-coated with natural oxidative oil

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevel edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak approx. 3 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection NEW Lifetime (Maximum 25 % short length per parcel)		
14/3 x 158 x 1,220 mm	8 Piece	= 1 Package	= 1.542 m ²
	48 Packages	= 1 Pallet	= 74.020 m ²
	18 Pallets	= 20' Container	= 1,332.357 m ²
	36 Pallets	= 40' Container	= 2,664.714 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK BAROCK



brushed, natural oiled

12011

OAK GOTIK



brushed, white oiled

12012



SAWN VENEER




BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 158 x 1,220 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Barok**
Rustic sorting, brushed, natural oiled

OAK ROKOKO

OAK ROMANTIK



brushed, smoked, natural oiled

12013

brushed, smoked, white oiled

12014



SAWN VENEER



BRUSHED




SMOKED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 158 x 1,220 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Romantik**

Rustic sorting, brushed,
smoked, white oiled

COLLECTION

DREAM ISLAND

MODERN WIDE PLANK
FLOORING




Oak Bali




Oak Samui




Oak Boracay



Oak Sumatra



Oak Lanta



Maple Java

The Dream Island Collection encompasses a complete and innovative color spectrum of highly refined surfaces for the conscious design of personal living spaces. Here, everyone can find their individual dream floor.

The exquisite selection of design wide planks from this collection combines the best quality with perfect aesthetics in the highest precision. Oak and maple wood are treated in a unique way with hard

wax oil. These modern finishes give every living space a feeling of warmth and security. The parquet planks have an overall thickness of 15 mm and are available in the dimensions 190 x 1,900 mm.

Thanks to the patented drop-down click connection, the planks can be installed simply, quickly, and cleanly to create a perfect parquet floor. **The planks are ready-treated for living spaces.**

Specification

Classic Oak- approx. Maple 1-strip wideplank

Sorting

Rustic: knotty sorting, with sapwood

Surface

Textured, colour-finished, hard wax oil

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevel edge

Wood moisture 7 % (+/- 2 %)


Farblich veredelt, Hartwachsöl

Wear layer made of Oak approx. Maple approx. 4 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Dream Island (maximal 12,5 % Kurzlängen pro Package)		
15/4 x 190 x 1,900 mm	8 Piece	= 1 Package	= 2.888 m ²
	40 Packages	= 1 Pallet	= 115.52 m ²
	12 Pallets	= 20' Container	= 1,386.24 m ²
	24 Pallets	= 40' Container	= 2,772.48 m ²

Color and dimensional variations possible, images are exemplary. Subject to change and errors excepted.

OAK BALI



textured, colour-finished, hard wax oil 12003

OAK SAMUI



textured, colour-finished, hard wax oil white 12004



SAWN VENEER




HARDWAX OILED
READY-FOR-USE



4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Bali**

Rustic sorting, textured,
colour-finished, hard wax oil

OAK BORACAY

OAK SUMATRA



textured, light colour finish, hard wax oil 12001

textured, dark colour finish, hard wax oil 12004




SAWN VENEER



HARDWAX OILED
READY-FOR-USE



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer
Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Boracay**

Rustic sorting, textured,
light colour finish, hard wax oil

OAK LANTA



textured, colour-finished, bleached, hard wax oil

12005



SAWN VENEER



HARDWAX OILED
READY-FOR-USE



4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Lanta**

Rustic sorting, textured, colour-finished,
bleached, hard wax oil

MAPLE JAVA



textured, colour-finished, hard wax oil

12010



SAWN VENEER



HARDWAX OILED
READY-FOR-USE



4
4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Maple Java**

Rustic sorting, textured,
colour-finished, hard wax oil

COLLECTION
NEW TIMED

RUSTIC WIDEPLANK
FLOORING



Oak Amber



Oak Jasper



Oak Jade



Oak Opal

Collection NEW Timed – Timelessly Beautiful Wide Plank

The **Collection NEW TIMED** features rustic wide planks made of oak wood with a surrounding bevel. The slightly chamfered edges emphasize the distinctive plank look. Additionally, thanks to the four-sided bevel, each plank is individually highlighted, giving the entire floor surface a unique appearance.

We present to you a total of five contemporary oak colors. The surfaces are all brushed, emphasizing the lively character of the floor.

For a pleasant barefoot feeling, the surfaces are also ready-oiled for living spaces. The patented **drop-down click connection** ensures quick and easy installation.

Specification

Classic Oak wideplank 1-plank

Sorting

Rustic: knotty sorting, with sapwood

Surface

Oil-coated with natural oxidative oil.

Packaging

Neutrale, umlaufende Packaging, mit stirnseitig angebrachtem Produktaufkleber. Verlegeanleitung und Pflegeanweisung sind in jedem zweiten Package enthalten.

Thermal conductivity

0.13 m² K/W

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak approx. 3 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection NEW Timed (Maximum 25 % short length per parcel)		
14/3 x 190 x 1.900 mm	8 Piece	= 1 Package	= 2.888 m ²
	40 Packages	= 1 Pallet	= 115.52 m ²
	12 Pallets	= 20' Container	= 1,386.24 m ²
	24 Pallets	= 40' Container	= 2,772.48 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK AMBER



brushed, natural oiled

11111

OAK JASPER



brushed, white oiled

11112



SAWN VENEER



BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Amber**

Rustic sorting, brushed, natural oiled

OAK JADE

OAK OPAL



brushed, smoked, natural oiled

11113

brushed, smoked, white oiled

11114



SAWN VENEER



BRUSHED



SMOKED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Opal**


Rustic sorting, brushed,
smoked, natural oiled

COLLECTION
ORIENTAL


WIDE PLANK FLOORING
IN LIVELY GRADING



Oak Asena



Oak Zola



Oak Kaya



Oak Junis



Oak Karat



Oak Limun



Oak Harika XL



Oak Salome XL

The **Oriental Collection**, offered in a classic plank format of 190 x 1,900 mm with a 3 mm wear layer and an XL version of 260 x 2,200 mm with a 4 mm wear layer, creates a Mediterranean-rustic flair in interior design.

All products in the collection feature brushed surfaces that are either

naturally oiled or white oiled. Additionally, two different plank appearances, Rustic and Super Rustic sorting, are available, each lending a unique touch to any room through their harmonious interplay.

Thanks to the **patented drop-down click connection**, the planks can be installed as a perfect parquet floor easily, quickly, and cleanly.

Specification

Classic Oak wideplank 1-plank

Sorting

Rustic: knotty sorting, with sapwood

Super Rustic: very rustic sorting, with knots and cracks and a natural look of colour

Surface

Oil-coated with natural oxidative oil.

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak, 3 approx. 4 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Oriental (Maximum 25 % short length per parcel)		
14/3 x 190 x 1,900 mm	8 Piece	= 1 Package	= 2.888 m ²
	40 Packages	= 1 Pallet	= 115.52 m ²
	12 Pallets	= 20' Container	= 1,368.24 m ²
	24 Packages	= 40' Container	= 2,772.48 m ²
15/4 x 260 x 2,200 mm	6 Piece	= 1 Package	= 3.432 m ²
	33 Packages	= 1 Pallet	= 113.256 m ²
	12 Pallets	= 20' Container	= 1,359.072 m ²
	26 Pallets	= 40' Container	= 2,944.656 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK ASENA



brushed, natural oiled

15013

OAK ZOLA



brushed, white oiled

15014



SAWN VENEER




BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Asena**

Rustic sorting, natural oiled

OAK KAYA

OAK JUNIS



brushed, smoked, natural oiled

15015

brushed, smoked, white oiled

15016



SAWN VENEER



BRUSHED



SMOKED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer
Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Junis**

Rustic sorting, brushed,
smoked, white oiled

OAK KARAT



brushed, natural oiled

15003

OAK LIMUN



brushed, white oiled

15004



SAWN VENEER



BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Super Rustic, very rustic sorting, with knots and cracks and a natural look of colour



Picture shows: **Oak Karat**
Super Rustic sorting, natural oiled

OAK HARIKA XL

OAK SALOME XL



brushed, natural oiled

15011

brushed, white oiled

15012



SAWN VENEER




BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Super Rustic, very rustic sorting, with knots and cracks and a natural look of colour



Picture shows: **Oak Salome XL**


Super Rustic sorting, white oiled

COLLECTION
MARITIM XL


WIDE PLANKS
WITH DEPTH STRUCTURE




Oak Ocean XL




Oak Pacific XL



Oak Marina XL



Oak Nautic XL



Oak Breeze XL



Oak Sail XL

The **Maritim XL Collection** features rustic country house planks made of oak wood. Each plank is individually emphasized with a four-sided bevel, giving the entire floor a distinctive appearance. The surfaces are also pre-oiled and ready for living. Thanks to the special structure, the beauty and expressiveness of the wood are highlighted by our **Loopy-Face® Technology**.

Wood grain patterns are enhanced, further intensifying the naturally pleasant feel of country house planks through the Loopy-Face® Technology. This appealing and trendy look of the floor can also be elegantly integrated into modern interior design.

The **patented drop-down click connection** ensures quick and easy installation.

Specification

Classic Oak wideplank 1-plank

Sorting

Rustic: knotty sorting, with sapwood

Surface

Structured with Loopy-Face® Technology

Oil-coated with natural oxidative oil

Transparent oiled with SafeTop® Technology

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak approx. 4 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Maritim XL (maximum 1 layer of shortened length per Package)		
15/4 x 260 x 2,200 mm	6 Piece	= 1 Package	= 3.432 m ²
	33 Packages	= 1 Pallet	= 113.256 m ²
	12 Pallets	= 20' Container	= 1,359.072 m ²
	26 Pallets	= 40' Container	= 2,944.656 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK OCEAN XL



Structured with Loopy-Face® Technology, natural oiled

13001



SAWN VENEER




OILED
READY-FOR-USE



4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Ocean XL**

Rustic sorting, structured with
Loopy-Face® Technology, natural oiled

OAK PACIFIC XL



Structured with Loopy-Face® Technology, Transparent oiled with SafeTop® Technology

13005



SAWN VENEER



OILED
READY-FOR-USE



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Pacific XL**

Rustic sorting, Structured with Loopy-Face® Technology,
Transparent oiled with SafeTop® Technology


OAK MARINA XL

OAK NAUTIC XL



structured Loopy-Face®, smoked, natural oiled 13006

structured Loopy-Face®, smoked, white oiled 13007



Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer
Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Marina XL**

Rustic sorting, structured with
Loopy-Face® Technology, smoked, natural oiled

OAK BREEZE XL

OAK SAIL XL



structured Loopy-Face®, core-smoked, natural oiled 13003

structured Loopy-Face®, core-smoked, white oiled 13004



SAWN VENEER



KERNGERÄUCHERT



OILED
READY-FOR-USE



4
4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Sail XL**

Rustic sorting, structured with Loopy-Face® Technology,
core-smoked, white oiled

COLLECTION
TRADITIONAL

TRADITIONAL
WIDE PLANK FLOORING



Oak Safari




Oak Arktis




Oak Colorado




Oak Nebraska




Oak Maine



Oak Como



Oak Prato



Oak Texas

The **Traditional Collection** highlights the multifaceted and harmonious effect of an oak wood floor. Specially hand-planed surfaces elegantly showcase each room. Every plank is truly unique.

The Traditional Collection offers a total of eight attractive color variations. In addition to the exceptional **hand-planed finishes**, this collection also includes brushed surfaces in modern and interesting color designs.

Whether brushed or hand-planed, every floor from the Traditional Collection is striking and gives every room a naturally pleasant living atmosphere.

The installation is also quick and easy thanks to the **patented drop-down click connection**.

Specification

Classic Oak wideplank 1-plank

Sorting

Rustic: knotty sorting, with sapwood

Surface

Oil-coated with natural oxidative oil

Transparent oiled with SafeTop® technology

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 m² K/W

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak approx. 4 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Traditional	(Maximum 25 % short length per parcel)
15/4 x 190 x 1,900 mm	8 Piece	= 1 Package = 2.888 m ²
	40 Packages	= 1 Pallet = 115.52 m ²
	12 Pallets	= 20' Container = 1,386.24 m ²
	24 Pallets	= 40' Container = 2,772.48 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK SAFARI

OAK ARKTIS



hand-planed, natural pre-oiled

10343

hand-planed, white pre-oiled

10344



SAWN VENEER



HAND-PLANED




VORGEÖLT



4
4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Safari**

Rustic sorting, hand-planed, natural pre-oiled

OAK COLORADO

OAK NEBRASKA



hand-planed, smoked, natural pre-oiled

10345

hand-planed, smoked, white pre-oiled

10346



SAWN VENEER



HAND-PLANED



SMOKED




VORGEÖLT



4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer


Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Nebraska**

Rustic sorting, hand-planed, smoked, white pre-oiled

OAK MAINE



hand-planed, transparent oiled with SafeTop® technology

10347



SAWN VENEER



HAND-PLANED



OILED
READY-FOR-USE



4
4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Maine**

Rustic sorting, hand-planed,
transparent oiled with SafeTop® technology

OAK COMO



brushed, smoked, natural oiled

10341

OAK PRATO



brushed, smoked, white oiled

10342



SAWN VENEER



BRUSHED




SMOKED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Como**

Rustic sorting, gebürstet,
smoked, natural oiled

OAK TEXAS



brushed, smoked, stone-grey oiled

10348



SAWN VENEER



BRUSHED



SMOKED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Texas**

Rustic sorting, brushed,
smoked, stone-grey oiled

COLLECTION

TRADITIONAL XL

TRADITIONAL PLANK FLOORING
IN WIDE-PLANK LOOK



Oak Como XL



Oak Prato XL



Oak Emilia XL



Oak Matera XL



Oak Messina XL

The **TRADITIONAL XL Collection** brings natural originality to your feet in a beautiful way. This collection features generous castle planks in a rustic sorting. The five elegant color variants are treated with natural oil and ready for living. Thanks to the beautiful XL plank format of **260 x 2,200 mm**, each plank has a special charisma that is noticeable in every room.

Whether the noble appearance of oak in white or in a warm chocolate tone, this collection embodies lived individualism and brings a lot of freedom to the living space.

Thanks to the **patented drop-down click connection**, the floor can also be installed quickly, cleanly, and easily.

Specification

Classic Oak wideplank 1-plank

Sorting

Rustic: knotty sorting, with sapwood

Surface

Oil-coated with natural oxidative oil

Transparent oiled with SafeTOP® technology

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 m² K/W

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak approx. 4 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Traditional XL (maximum 1 layer of shortened length per Package)		
15/4 x 260 x 2.200 mm	6 Piece	= 1 Package	= 3.432 m ²
	33 Packages	= 1 Pallet	= 113.256 m ²
	12 Pallets	= 20' Container	= 1,359.072 m ²
	26 Pallets	= 40' Container	= 2,944.656 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK COMO XL



brushed, smoked, natural oiled

10421

OAK PRATO XL



brushed, smoked, white oiled

10422



SAWN VENEER



BRUSHED



SMOKED




OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Prato XL**

Rustic sorting, brushed, white oiled

OAK EMILIA XL

OAK MATERA XL



brushed, natural oiled

10423

brushed, white oiled

10424



SAWN VENEER



BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Emilia XL**

Rustic sorting, brushed, natural oiled

OAK MESSINA XL



brushed, transparent oiled with SafeTop® technology

10425



SAWN VENEER



BRUSHED




OILED
READY-FOR-USE



4
4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 260 x 2,200 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content




Picture shows: **Oak Messina XL**


Rustic sorting, brushed, transparent oiled with SafeTop® technology

COLLECTION
ART XXL

XXL CASTLE PLANKS




Oak Louvre XXL



Oak Pergamon XXL



Oak Tate XXL



Oak Moma XXL

The **Art XXL Collection** offers dreamily beautiful castle planks made of oak in an extra-long format. The special XXL size of **260 x 2,800 mm** demands the highest precision in both manufacturing and installation, epitomizing exclusive and high-quality living.

The large-scale planks fill any architectural space with just a few elements. The appearance is characterized by a unique interplay of

knots, grain, and cracks on the expressive oak planks. The result is a vibrant floor with natural luster and an elegant feel.

The most secure installation of parquet is ensured through full-surface gluing. However, thanks to the patented drop-down connection, the floors from the Art XXL Collection can also be easily installed as a floating floor.

Specification

Classic Oak wideplank 1-plank

Sorting

Rustic: knotty sorting, with sapwood

Surface

Oil-coated with natural oxidative oil

Transparent oiled with SafeTop® Technology

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak approx. 4 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Art XXL (maximum 1 layer of shortened length per Package)		
15/4 x 260 x 2.800 mm	4 Piece	= 1 Package	= 2,912 m ²
	28 Packages	= 1 Pallet	= 81,536 m ²
	12 Pallets	= 20' Container	= 978,432 m ²
	24 Pallets	= 40' Container	= 1.956,864 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK LOUVRE XL



brushed, natural oiled

14001



SAWN VENEER



BRUSHED




OXIDATIVE OILED



4
4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 260 x 2.800 mm, 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer


Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Louvre XXL**

Rustic sorting, brushed, natural oiled

OAK PERGAMON XL



brushed, transparent oiled with SafeTop® technology

14005



Format, thickness/wear layer: 260 x 2.800 mm, 15/4 mm • **Specification/Structure:** 1-strip wideplank / 3-layer
Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Pergamon XXL**

Rustic sorting, brushed, transparent oiled
with SafeTop® technology

OAK TATE XXL



brushed, smoked, natural oiled

14003

OAK MOMA XXL



brushed, smoked, white oiled

14004



SAWN VENEER



BRUSHED



SMOKED




OXIDATIVE OILED



4
4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 260 x 2.800 mm, 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Moma XXL**

Rustic sorting, brushed, smoked, natural oiled

COLLECTION
CHÂTEAU

TIMELESS
HERRINGBONE PARQUET



Oak Clagny




Oak Chambord



Oak Crussol



Oak Aguilar



Oak Apremont



Oak Anjony

The **Château Collection** offers parquet flooring in an elegant and classic herringbone design.

Due to the special installation of the individual elements arranged at a **90° angle**, a distinctive pattern is created that visually resembles the bones of a fish skeleton. This pattern creates a unique and striking appearance, giving any room a timeless elegance.

The range consists of six products in two gradings. Options include brushed, natural and white oiled, as well as matte lacquered surfaces.

Thanks to the innovative end-side click connection, the herringbone parquet can also be installed as a floating floor. This makes the flooring perfectly suitable for both commercial and private end users.

Specification

Oak Landhausstäbe

Sorting

Natur: almost knot-free sorting, almost without sapwood

Rustic: knotty sorting, with sapwood

Surface

Oil-coated with natural oxidative oil.

Matt lacquer

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.


Thermal conductivity

0,14 m² K/W

Thermal transmittance

0,12 m² K/W

3-layer ready made parquet
with 4-sided bevelled edge Wood moisture 7 % (+/- 2 %)




Packaging unit Collection Château			
	7 Piece	= 1 Package	= 0.6601 m ²
14/2.5 x 130 x 725 mm	64 Packages	= 1 Pallet	= 42.2464 m ²
	63 Pallets	= 1 LKW	= 2,661.5232 m ²

Color and dimensional variations possible, images are exemplary. Subject to change and errors excepted.


OAK CLAGNY

brushed, natural oiled 75001



OAK CHAMBORD

brushed, white oiled 75002



Format, thickness/wear layer: 130 x 725 mm x 14/2,5 mm • **Specification/Structure:** Country house stick/3-layer


Sorting: Natural, knotless sorting, almost without sapwood



Picture shows: **Oak Clagny**

Nature sorting, brushed, natural oiled

OAK CRUSSOL



brushed, matt lacquer natural

75003



SAWN VENEER



BRUSHED



MATTE
LACQUERED



4-SIDED
BEVELLED EDGES



Format, thickness/wear layer: 130 x 725 mm x 14/2,5 mm • **Specification/Structure:** Country house stick/3-layer

Sorting: Natural, knotless sorting, almost without sapwood



Picture shows: **Oak Crussol**

Nature sorting, brushed, matt lacquer natural


OAK AGUILAR

brushed, natural oiled 75101



OAK APREMONT

brushed, white oiled 75102



SAWN VENEER



BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



MADE IN
EUROPE



FOLD DOWN
KLIKK
SYSTEM



Format, thickness/wear layer: 130 x 725 mm x 14/2,5 mm • **Specification/Structure:** Country house stick/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Apremont**

Rustic sorting, brushed, white oiled

OAK ANJONY



brushed, matt lacquer natural

75103



SAWN VENEER



BRUSHED



MATTE
LACQUERED



4
4-SIDED
BEVELLED EDGES



MADE IN
EUROPE



FOLD DOWN
KLIKK
SYSTEM



Format, thickness/wear layer: 130 x 725 mm x 14/2,5 mm • **Specification/Structure:** Country house stick/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Anjony**

Rustic sorting, brushed, matt lacquer natural

COLLECTION
GLORY

CLASSIC
WIDE PLANK FLOORING



Oak Laruma



Oak Gaica



Oak Zephir



Oak Marinda




Oak Avoca



Larch Serala




Oak Cameo



Oak Madita




Oak Jumana



Oak Galwani



Oak Akoya



Oak Pincada

The high-quality, exclusive oak planks of the **Glory Collection** create the desired atmosphere for any room. Whether calm and nearly knot-free or rustic with knots, cracks, and a natural color play, the different gradings and color variations provide a stylish ambience with every plank.

Options include natural oiled, white oiled, or matte lacquered finishes. The diversity of the collection allows each room design to be given a unique character.

Thanks to the **patented drop-down click connection**, the wood flooring can be installed quickly and accurately, whether floating or fully glued.

Specification

Classic Oak wideplank 1-plank

Sorting

Natural: smooth sorting, with small knots and little sapwood

Standard: lightly knotty sorting, with little sapwood content

Rustic: knotty sorting, with sapwood

Super Rustic: very rustic sorting, with knots and cracks and a natural look of colour

Surface

Oil-coated with natural oxidative oil

Matt lacquered Surface

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak approx. 3 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Glory (Shortened length included in the package)		
14/3 x 190 x 1.900 mm	8 Piece	= 1 Package	= 2.888 m ²
	40 Packages	= 1 Pallet	= 115.52 m ²
	12 Pallets	= 20' Container	= 1,386.24 m ²
	24 Pallets	= 40' Container	= 2,772.48 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK LARUMA

OAK GAICA



brushed, natural oiled

16003

brushed, white oiled

16004



SAWN VENEER



BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Natural, smooth sorting, with small knots and little sapwood



Picture shows: **Oak Laruma**

Natural sorting, brushed, natural oiled

OAK ZEPHIR



light brushed, matt lacquer natural

16013

OAK MARINDA



light brushed, Matt lacquer white

16014



SAWN VENEER



BRUSHED




MATTE
LACQUERED



4
4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Natural, smooth sorting, with small knots and little sapwood



Picture shows: **Oak Marinda**

Natural, light brushed, Matt lacquer white

OAK AVOCA

OAK SERALA



brushed, natural oiled

16005

brushed, white oiled

16006



SAWN VENEER




BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Standard, lightly knotty sorting, with little sapwood content



Picture shows: **Oak Serala**

Standard sorting, brushed, white oiled

OAK CAMEO

OAK MADITA



light brushed, matt lacquer natural

16007

light brushed, matt lacquer white

16008



SAWN VENEER




BRUSHED



MATTE
LACQUERED



4
4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Standard, lightly knotty sorting, with little sapwood content



Picture shows: **Oak Cameo**

Standard sorting, light brushed, matt lacquer natural

OAK JUMANA

OAK GALWANI



brushed, natural oiled

16009

brushed, white oiled

16010



SAWN VENEER



BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Rustic, knotty sorting, with sapwood content



Picture shows: **Oak Galwani**

Rustic sorting, brushed, white oiled

OAK AKOYA



brushed, natural oiled

16012

OAK PINCADA



brushed, white oiled

16013



SAWN VENEER



BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 14/3 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Super Rustic, very rustic sorting, with knots and cracks and a natural look of colour



Picture shows: **Oak Akoya**

Super Rustic sorting, brushed, natural oiled

COLLECTION
RETRO

AGED
WIDE PLANKS



Oak Sanford




Oak Augusta



Oak Cayley



Oak Nirvana



Oak Marcy

The **Retro Collection** features hand-planed oak planks that excel in creating perfect accents in exclusive flooring and interior design. The knotty grading and various color variations give each plank its unique and original character.

The collection includes five products with oiled surfaces, in a smoked appearance, as well as the innovative SafeTop® raw wood

look. This special finishing meets the highest standards, preserving the wood character while ensuring reliable protection of the planks.

The patented drop-down click connection ensures quick, easy, and clean installation of the wood flooring – whether floating or fully glued.

Specification

Aged Oak Plank 1-strip

Sorting

Country: Rustic sorting, with knots and sapwood

Surface

Oil-coated with natural oxidative oil.

Transparent oiled with SafeTop® Technology

Packaging

Neutral, all-round packaging, with product sticker attached to the front. Installation instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.12 m² K/W

3-layer ready made parquet with 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled Surface

Wear layer made of Oak approx. 4 mm

Middle layer 9 mm

Backing layer 2 mm

Drop Down click connection



Packaging unit	Collection Retro (Maximum 25 % short length per parcel)		
15/4 x 190 x 1,900 mm	8 Piece	= 1 Package	= 2.888 m ²
	40 Packages	= 1 Pallet	= 115.52 m ²
	12 Pallets	= 20' Container	= 1,386.24 m ²
	24 Pallets	= 40' Container	= 2,772.48 m ²

Colour and dimensional deviations possible, illustrations are examples. Subject to alterations and errors excepted.

OAK SANFORD

OAK AUGUSTA



hand-planed, natural oiled

10520

hand-planed, white oiled

10521



SAWN VENEER



HAND-PLANED




OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Country, rustic sorting, with knots and sapwood



Picture shows: **Oak Sanford**

Country sorting, hand-planed, natural oiled

OAK CAYLEY

OAK NIRVANA



hand-planed, smoked, natural oiled

10523

hand-planed, smoked, white oiled

10524



SAWN VENEER



HAND-PLANED



SMOKED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Country, rustic sorting, with knots and sapwood



Picture shows: **Oak Nirvana**

Country sorting, hand-planed, smoked, white oiled

OAK MARCY



hand-planed, transparent oiled with SafeTop® technology

10522



SAWN VENEER



HAND-PLANED



OILED
READY-FOR-USE



4
4-SIDED
BEVELLED EDGES



EUTR
COMPLIANT



DROP DOWN

Format, thickness/wear layer: 190 x 1,900 mm x 15/4 mm • **Specification/Structure:** 1-strip wideplank/3-layer

Sorting: Country, rustic sorting, with knots and sapwood



Picture shows: **Oak Marcy**

Country sorting, hand-planed,
oiled with SafeTop® Technology

COLLECTION
DESIGNPARK


3-LAYER
PLANK & SHIP FLOORING



Oak Bryce



Oak Glacier



Oak Richmond 3-Stab



Oak Cabo 3-Stab



Das Zeichen für verantwortungsvolle
Waldwirtschaft

FSC® C012543

Our oak 3-layer products from the **Designpark Collection** offer an exclusive interplay between natural and country sorting, as well as surface treatment. The treated planks are delivered either naturally oiled, white oiled, or approximately matte lacquered.

Our 3-layer floors give your rooms a new and extraordinary character. The country house planks of our 3-layer floors are equipped with a **5G click system**, and the ship decks with a **2G click system** for quick and clean installation.

Specification

Classic Oak 1-strip wideplank

Oak Ship's floor 3-strip

sorting, Schiffsboden

Natural: smooth sorting, with small knots and little sapwood

Country: rustic sorting, with knots and sapwood

Surface

brushed, oxi oiled natural or white

matt lacquered Surface

Packaging

Neutral, all-round banderole with foil packaging, a corresponding sticker with the type of wood and sorting on the front. Laying instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.11 m² K/W

3-layer parquet with 2 approx. 4-sided bevelled edge

Wood moisture 7 % (+/- 2 %)


Oxidatively oiled/mattlackierte Surface

Wear layer made of Oak approx. 2,5 approx. 3,5 mm

Middle layer made of spruce 9 mm

Backing layer made of spruce 1,5 approx. 2,5 mm

2-G approx. 5-G Click connection



Packaging unit	Collection Designpark - Plank 1-strip (3-layer)		
14/2.5 x 194 x 2,230 mm	7 Piece	= 1 Package	= 3.0282 m ²
	45 Packages	= 1 Pallet	= 136.269 m ²
	22 Pallets	= LKW	= 2,997.72 m ²
Packaging unit	Collection Designpark - Ship flooring (ship floors)		
14/3.5 x 198 x 2,400 mm	6 Piece	= 1 Package	= 2.8512 m ²
	55 Packages	= 1 Pallet	= 156.816 m ²
	8 Pallets	= 20' Container	= 1,254.528 m ²
	16 Pallets	= 40' Container	= 2,509.056 m ²

Color and dimensional variations possible, images are exemplary. Subject to change and errors excepted.

OAK BRYCE



brushed, natural oiled

51001

OAK CLACIER



brushed, white oiled

51002



SAWN VENEER



BRUSHED



OXIDATIVE OILED



4-SIDED
BEVELLED EDGES



Das Zeichen für verantwortungsvolle
Waldwirtschaft
FSC® C012543

Format, thickness/wear layer: 194 x 2,230 mm x 14/2.5 mm • **Specification/Structure:** 1-strip wideplank / 3-layer
Sorting: Country, rustic sorting, with knots and sapwood



Picture shows: **Oak Bryce**

Country sorting, brushed, natural oiled

OAK RICHMOND



light brushed, matt lacquer natural

50503



SAWN VENEER



BRUSHED



MATTE
LACQUERED



Format, thickness/wear layer: 198 x 2,400 mm x 14/3.5 mm • **Specification/Structure:** 3-strip ship's floor/3-layer
Sorting: Natural, harmonious mixing sorting



Picture shows: **Oak Richmond**

Naturell sorting, Matt lacquer natural

OAK CABO



light brushed, oxi oiled

50504



SAWN VENEER



BRUSHED



OXIDATIVE OILED



MADE IN
EUROPE



2G
certified flooring

Format, thickness/wear layer: 198 x 2,400 mm x 14/3.5 mm • **Specification/Structure:** 3-strip ship's floor/3-layer
Sorting: Natural, harmonious mixing sorting



Picture shows: **Oak Cabo**


Natural sorting, oxi oiled

COLLECTION
DESIGNPARK

2-LAYER PARQUET



Oak Tajo



Oak Luke



Oak Zuma



Oak Sky



Our 2-layer prefinished parquet from the Designpark Collection consists of a structure layer with a 3.5 mm thick oak wear layer and a 6.5 mm spruce backing layer with vertical growth rings.

Surface options include untreated, brushed or smooth sanded, oxidatively oiled, or matte lacquered in natural or white color.

The left and right strips are equipped with a classic tongue and groove profile. The product is offered in two formats, and beveled edges are also possible.

Specification

Oak Country house bar

Sorting

Select: calm appearance, almost knot and sapwood free

Classic: Natural appearance with brown with brown filled knots and low sapwood content

Surface

brushed/smooth, oxi oiled
matt lacquer natural/white

Packaging

Neutral, all-round banding with foil packaging, a corresponding sticker with the wood species and sorting on the front. Laying instructions and care instructions are included in every second package.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.11 m² K/W

3-layer parquet


Wood moisture 7 % (+/- 2 %)

Backing layer made of spruce 6,5 mm

Oxi oiled/lacquered Surface

Wear layer made of Oak approx. 3,5 mm


Tongue and Groove profile



Packaging unit	Designpark 2-layer			
10/3.5 x 97 x 790 mm	16 Piece/Package	= 1,2261 m ²	1 Pallet/66 Packages	= 80,9226 m ²
10/3.5 x 97 x 582 mm	16 Piece/Package	= 0,9033 m ²	1 Pallet/88 Packages	= 79,4904 m ²

Color and dimensional variations possible, images are exemplary. Subject to change and errors excepted.

OAK TAJO



smooth, matt lacquer

50701 - 50702



SAWN VENEER



MATTE
LACQUERED



MADE IN
EUROPE



TONGUE AND
GROOVE

Format, thickness/wear layer: 97 x 582/790 mm x 10/3.5 mm • **Specification/Structure:** Oak Country house bar/2-layer


Sorting: Select, calm appearance almost free of knots and sapwood



Picture shows: **Oak Tajo**

Select sorting, matt lacquer

OAK LUKE



smooth, oxi oiled

50703 - 50704



SAWN VENEER



OXIDATIVE OILED



MADE IN
EUROPE



TONGUE AND
GROOVE

Format, thickness/wear layer: 97 x 582/790 mm x 10/3.5 mm • **Specification/Structure:** Oak Country house bar/2-layer


Sorting: Select, calm appearance almost free of knots and sapwood



Picture shows: **Oak Luke**

Select sorting, oxi oiled

OAK ZUMA



smooth, matt lacquer

50705 - 50706



SAWN VENEER



MATTE
LACQUERED



MADE IN
EUROPE



TONGUE AND
GROOVE

Format, thickness/wear layer: 97 x 582/790 mm x 10/3.5 mm • **Specification/Structure:** Oak Country house bar/2-layer

Sorting: Natural appearance with brown filled knots and low sapwood content



Picture shows: **Oak Zuma**

Natural sorting, matt lacquer

OAK SKY



smooth, oxi oiled

50707 - 50708



SAWN VENEER



OXIDATIVE OILED



MADE IN
EUROPE



TONGUE AND
GROOVE

Format, thickness/wear layer: 97 x 582/790 mm x 10/3.5 mm • **Specification/Structure:** Oak Country house bar/2-layer

Sorting: Natural appearance with brown filled knots and low sapwood content



Picture shows: **Oak Sky**

Natural sorting, oxi oiled



FAXE

WOODCARE SINCE 1926

FAXE is an established brand specializing in care products for the maintenance of wooden floors. In living areas, floors are the largest visible element and are subjected to the most wear and tear. Wooden floors are not just functional elements in a room but also embody aesthetic and emotional values.

A well-maintained wooden floor can bring warmth, character, and elegance to a room. Therefore, FAXE focuses on offering high-quality products that help extend the lifespan of wooden floors by protecting them from wear, tear, and other environmental influences without affecting the wood's natural structure or color.

The products are designed for both cleaning and regular maintenance, particularly for wooden floors. Whether for removing everyday dirt or for long-term care, the product range offers solutions for various applications.

The FAXE brand stands not only for high-quality products that meet all environmental requirements in both production and application but also for a philosophy of value preservation and sustainability in dealing with wooden floors. Through the development of innovative care products, FAXE aims to help maintain the beauty and functionality of wooden floors permanently. Whether for private or commercial use, FAXE supports customers in achieving the optimal care and protection of their floors.



For our various collections we recommend the use of the following care products from FAXE.



For all floors oiled with SafeTop® technology



Renovation/refreshing with FAXE SafeTop® maintenance oil (available in 1 litre)

Continuous wipe cleaning with FAXE Natural Wood Floor Soap (available in 1 and 2.5 litres)



For all matt lacquered Surfacen, or those of the Dream Island collection (hard wax oil).

Continuous wipe cleaning with FAXE Active Care Matt (available in 1 and 2.5 litres)



For all collections with natural oiled or dark surfacing.

Initial care and renovation/refreshing with FAXE Maintenance Oil Plus Natural (available in 1 and 2.5 litres)



Continuous wipe cleaning with FAXE Natural Wood Floor Soap (available in 1, 2.5 and 5 litres)

For all collections with white-oiled surfacing.

Initial care and renovation/refreshing with FAXE Maintenance Oil Plus White (available in 1 and 2.5 litres)



Continuous wipe cleaning with FAXE Wood Floor Soap White (available in 1, 2.5 and 5 litres)



FLOOR!T[®]

THE WOODEN FLOOR

Imprint

All shown surface, plank, and sorting images are reduced sections and may differ in color from the original. They only give a partial impression of the whole.

For exact color matching, we always recommend comparing with an original sample.

Some of the room situations shown here are visualizations. All shown images, graphics, and icons are subject to the copyright of F.W. Barth & Co. GmbH.

Information on technical data and product properties as of print date 05/2024, subject to change and errors excepted.

F.W. Barth & Co. GmbH
Fuggerstraße 25 | DE - 41352 Korschenbroich
Tel. +49 2161 995599 | info@barth1873.de
www.barth1873.de

BARTH & CO
MARKETERS SINCE 1873