

COLLECTION CLASSIC

Product structure and technical data

Our **Classic Collection** combines beautiful and good in any floor. Oak wood calm, or rustic. The sorting is done by hand to select the appropriate grains and textures as carefully as possible.

In addition to the different grades, the range from this collection also offers oxidative oiled and and specially

treated surface finishes. So there is certainly the right thing for every personal taste.

Thanks to the drop-down click connection, the planks are quick, clean and easy to install.

Specification

Classic oak wooden 1-strip flooring

Grading

Nature: almost no knots and without sapwood Rustic: knotty appearance with cracks & sapwood

Packing

Neutral, wrap-around packaging, with product sticker affixed to the front. Installation instructions and care instructions are included in every other package.

Surface


Coated with oxidative natural oil SafeTOP®: Special transparent and oxidative surface treatment process.

Thermal conductivity

0.14W/mK

Thermal transmittance

 $0.12 \, \text{m}^2 \, \text{K/W}$



Packing unit Collection Classic (maximum 25% short length per package)			
14/3 x 190 x 1,900 mm	8 Planks	= 1 Box	$= 2.888 \mathrm{m}^2$
	40 Boxes	= 1 Pallet	= 115.520 m ²
	12 Pallets	= 20' Container	= 1,386.240 m ²
	24 Pallets	= 40' Container	= 2,772.480 m ²
15/3 x 189 x 1,900 mm	8 Planks	= 1 Box	= 2.8728 m ²
	40 Boxes	= 1 Pallet	= 114.912 m ²
	12 Pallets	= 20' Container	= 1,378.944 m ²
	24 Pallets	= 40' Container	= 2,757.888 m ²

COLLECTION **CLASSIC**CLASSIC SINGLE PLANKS





BRUSHED











OAK NEW LINHART Nature, 2 sides beveled, brushed, natured oiled

15/3 x 189 x 1,900 mm





OAK COLETTA

Nature, 2 sides beveled, brushed, white oiled

15/3 x 189 x 1,900 mm





Rustic, 4 sides beveled, brushed, transparent oiled with SafeTop®

14/3 x 190 x 1,900 mm









5 exclusive surfaces, oxidativ oiled.



OAK NEW NOBLESSERustic, 4 sides beveled, brushed, natured oiled

14/3 x 190 x 1,900 mm



OAK NEW COMFORT Rustic, 4 sides beveled, brushed, white oiled

14/3 x 190 x 1,900 mm





SafeTop® technology stands for highest standards in surface processing. It ist the perfect finishing to fulfil the wish for a natural raw timber effect.

The oxidative oiled surface is extremely matte and conserves the natural optics without any intensification. The flooring has an end finishing and can be used directly after the installation.

FLQQR!T® THE WOODEN FLOOR

COLLECTION

CLASSIC SINGLE PLANKS

F.W. Barth & Co. GmbH
Fuggerstraße 25 | DE - 41352 Korschenbroich
Tel. +49 2161 995599 | info@barth1873.de
www.barth1873.de

BARTH & CO

MARKETERS SINCE 1873

